PEDIATRIC EMERGENCY MEDICINE in FINLAND

Tartu 3.4.2025 Anna Nikula Pediatrician, "pediatric emergency physician"

Topics

- Emergency medicine services in Finland
- Pediatric emergency medicine services in Finland
- Future of Pediatric Emergency Medicine in Finland

Emergency medicine services

URGENT and EMERGENCY CARE




Hospitals with extensive emergency care


Hospitals with emergency care


Hospitals with 24/7 urgent care

Health centers with 24/7 urgent care




EMERGENCY DEPARTMENT








- an online collection of guidelines for the grounds for urgent care
- maintained and developed in *expert panels*, with representatives from wellbeing services counties
- enables a *high-quality, nationally equal* and research-based assessment on the need for urgent care.







Prehospital



- Emergency Response Centre Agency
 - Assessment of the need for prehospital emergency care
- Prehospital emergency services
 - Medical treatment
 - Transport
 - Assessment of the need for medical care


Pediatric Emergency medicine services


FINLAND

5 500 000 inhabitants 1 000 000 children (<18 years) Tertiary hospitals with PED (5)
ED's seeing children (17)


PEDIATRIC EMERGENCY DEPARTMENT























Future of Pediatric Emergency medicine in Finland



Designed by Freepik

WHY Pediatric Emergency Physicians

Better outcomes have been demonstrated for children cared for in pediatric EDs staffed with pediatric emergency physicians

- decreased use of ionizing radiation imaging studies¹
- improved care of febrile neonates²
- improved care of children with asthma³
- lower rates of laboratory testing in nonacute patients⁴

WHY Pediatric Emergency Physicians


Any ED with more than 11 000 child attendances per year should have a PEM

trained consultant ⁵

EDs in Finland with >11 000 annual visits

Tertiary hospitals with PED (4/5)

• General ED's seeing children (6 /17)



References

- Strauss KJ, Somasundaram E, Sengupta D, Marin JR, Brady SL. Radiation Dose for Pediatric CT: Comparison of Pediatric versus Adult Imaging Facilities. Radiology. 2019 Apr;291(1):158-167
- Jain PN, Lerer R, Choi J, Dunbar J, Eisenberg R, Hametz P, Nassau S, Katyal C. Discrepancies Between the Management of Fever in Young Infants Admitted From Urban General Emergency Departments and Pediatric Emergency Departments. Pediatr Emerg Care. 2022 Aug 1;38(8):358-362
- 3. Bekmezian A, Hersh AL, Maselli JH, Cabana MD. Pediatric emergency departments are more likely than general emergency departments to treat asthma exacerbation with systemic corticosteroids. J Asthma.2011;48(1):69–74
- Michelson KA, Lyons TW, Hudgins JD, Levy JA, Monuteaux MC, Finkelstein JA, Bachur RG. Use of a National Database to Assess Pediatric Emergency Care Across United States Emergency Departments. Acad Emerg Med. 2018 Dec;25(12):1355-1364
- 5. IFEM; Standards of Care for Children in Emergency Departments. https://assets.nationbuilder.com/ifem/pages/286/attachments/original/1650673696/Standards-of-Care-for-Children-in-Emergency-Departments-V3-April-2019.pdf?1650673696

Thank you !

anna.nikula@fimnet.fi